

PREPARED BY

Name: _____

Location: _____

Date: _____

CUSTOMER INFO

Company Name: _____

Contact: _____

End User: _____

TRUCK INFO

Reefer Non-Reefer 96" 102" What Company Manufactured the Truck Chassis and Body? _____

Needed Lifting Capacity? 2,200 to 10,000 = _____ lbs Product Loaded From: Rear Side

Does The Unit Currently Have a Lift Gate? Yes No If YES, What Model _____

Door Type: Overhead Swing Side Door Swing Direction: Toward Cab Toward Rear


How Will the Gate be Charged? _____

Do They Want Solar Backup Charging? Yes No Are Dock Locks Used? Yes No

DIMENSIONS NEEDED FOR THE FOLLOWING GATES FOR TRUCK

- FXD – RAIL LIFT GATES** Need Dimensions D, E, F, G, H, I, J
- SLP, LHL, LPR – HIDE-A-WAY LIFT GATES** Need Dimensions D, E, H, I, J
- TLS AND LPS – HIDE-A-WAY SIDE DOOR LIFT GATES** Need Dimensions A, B, C, E

MEASUREMENT	DIM.	DESCRIPTION
	A	Clear from Front Edge of Door Opening to First Obstacle Under Truck
	B	Side Door Opening
	C	Clear Under Truck from Rear of Side Door Opening to First Obstacle Under Truck
	D	From Rear Face of Truck to First Obstacle Under Truck
	E	From Ground to Floor of Truck
	F	From Floor of Truck to Bottom of Header
	G	From Bottom of Header to Top of Header (Roof)
	H	Inside Opening of Rear Door of Truck
	I	Overall Width of Truck



PLEASE NOTE: For TSG Side Gate, the body must be altered by installing an extension plate inside the body to accommodate the gate at the floor level and in the over the road position. We **DO NOT** supply the extension or the material for this. You must notify your installer. This will add up to 10 hours on the install depending on dry or refrigerated bodies.

PREPARED BY

Name:

Location:

Date:

CUSTOMER INFO

Company Name:

Contact:

End User:

TRAILER INFO

Reefer Dry Van 96" 102" What Company Manufactured the Trailer?

Needed Lifting Capacity? 2,000 to 10,000 = _____ lbs Product Loaded From: Rear Side

Does The Unit Currently Have a Lift Gate? Yes No If YES, What Model _____

Door Type: Overhead Swing Side Door Swing Direction: Toward Cab Toward Rear

How Will the Gate be Charged?


Do They Want Solar Backup Charging? Yes No Are Dock Locks Used? Yes No

DIMENSIONS NEEDED FOR THE FOLLOWING GATES FOR TRAILERS

- FXD – RAIL LIFT GATES** Need Dimensions D, E, F, G, H, I, J
- LEYVADOR – INTERNAL ELEVATOR LIFT GATE** Need Dimensions E (Laden and Unladen), F, J
- SLP, LHLP – HIDE-A-WAY LIFT GATES** Need Dimensions D, E, H, J
- LTS, TSG – HIDE-A-WAY SIDE DOOR LIFT GATES** Need Dimensions A, B, C, E

MEASUREMENT	DIM.	DESCRIPTION
	A	Clear from Front Edge of Door Opening to First Obstacle Under Trailer
	B	Side Door Opening
	C	Clear Under Trailer from Rear of Side Door Opening to First Obstacle Under Trailer
	D	From Rear Face of Side Post of Trailer to First Obstacle Under Trailer
	E	From Ground to Floor of Trailer
	F	From Floor of Trailer to Bottom of Header
	G	From Bottom of Header to Top of Header (Roof)
	H	Inside Opening of Rear Door of Trailer
	I	Overall Width of Trailer
	J	Overall Length of Trailer

PLEASE NOTE: The LPR ONLY FITS on 102" wide trailers. It **WILL NOT FIT** on 96" wide trailers. Also, the D dimension is critical as it takes up a minimum of 78". Trailers with sliders are far easier to install as if they have a fixed tandem the whole axle may have to be moved to accommodate the gate.



COMPANY INFO

Purchasing Company: _____

Purchasing Company Contact Information: _____

End User Company Name: _____

Number of Gates: _____

Desired Delivery Date: _____

LEYMAN CONTACT INFO

Salesman Name (See Map Below): _____

Quote Number: _____

Territory Map

11/24

WEST – Rep 22
Keith Nash
513.462.3430
717.574.5817
knash@leymanlift.com

MIDWEST – Rep 06
Michael Koch
708.833.2093
mkoch@leymanlift.com

EAST – Rep 08
Mathew Underwood
717.481.0587
munderwood@leymanlift.com

SOUTH – Rep 18
Matt Townson
470.258.2751
mtownson@leymanlift.com

SUBMIT FORM TO LEYMAN

Once Form is Complete – Email to sales@leymanlift.com

